



UPDATE TIME FOR HAMMONDS

The Hammonds at Woolomin have traded their New Holland 317 Baler after 30 years of faithful service. Ron and Gay could hardly believe that they had purchased the baler so long ago and decided it was time to update to a new New Holland BC5070 Small Square Baler. Pictured at delivery are Ron, Ron's grandson Todd Hammond and Ron's son Graeme Hammond.



BR7060 DELIVERED TO DURI

A new New Holland BR7060 Round Baler has been delivered to Pat & Lorraine Ryan, Greenhill, Duri. Pat cited the importance of reliability of the New Holland brand and back up service given by Goodwin Kenny as reasons for his choice of baler. The baler features net and twine, hydraulic brakes & hydraulic rotor reverser all standard equipment.

Pictured are Patty (son) and Pat Ryan.

A TD95D FOR THE LORDANICS

Pictured with their new New Holland TD95D tractor with a Challenge New Holland AP35S Plus Loader are Gladys and Alec Lordanic of Nowendoc. The Lordanics traded their Merlin TDX105 tractor @ 400hrs and chose the TD95D for its strength, features and functions and liked the heavier loader and feel that this will be an ideal choice for the conditions at Nowendoc.



A JAYLOR MIXER FOR THE WOODLEY FAMILY

After an on farm demonstration of the Jaylor 4425 Mixer in November 2009, Allan & Evelyn Woodley and their son David placed an order. The Jaylor 4425, which has 15.7m³ capacity, was delivered on farm this month and Howard Product Manager, Phil Myers, was on hand to complete the installation with Goodwin Kenny Technician Levi Alley to David Woodley. Pictured at delivery are David Woodley and Phil Myers. You may have seen David and his father, Allan, featured in the Country Leader where there was a story about their Wagyu Beef Production under the Cattleman's Reserve Brand.



A NEW DAVIMAC SEEDER FOR THE McRAE FAMILY

Ross McRae and family from "Tocal" at Loomberah were convinced Pasture renovation and Direct Drilling would enhance their property. After careful consideration, Ross placed an order for a Davimac Coil Tyne Seeder, 22 Run, 3 Row, 7" sowing spacing, 22 press wheels, small seeds box, 16" coulters with hydraulic coulters lift and end tow facility.



ANOTHER DAVIMAC MACHINE DELIVERED IN TAMWORTH AREA.

Trevor Newcombe of Duri decided on a Davimac 16 Run 3 Row with 175mm spacings with Flotation Tyres and Farmscan Hectare/ Acre Monitor with additional Seed and Fertiliser Baffles. Trevor plans to sow 100 acres of oats and also use the Davimac for his Pasture Improvement Program using some Sub Tropical Grasses. Pictured at left are Trevor Newcombe and Shannon McNab of Davimac.

SILVAN PASTUREPAK SPECIFICATIONS

PUMP

Silvan self-priming oil-backed diaphragm type with nitrile diaphragms and corrosion resistant cast anodised aluminium body.
BP60/20: 58 L/min. capacity 2000kPa pressure
BP75/15: 71 L/min. capacity 1500kPa pressure

BOOM

Field boom: 6m (19ft.) or 8m (25ft.) with stainless steel spray lines, non-drip nozzle holders, fully galvanised frame and spring loaded safety break back/forward.

NOZZLES Fan jet nozzles with strainer in bayonet fit non-drip nozzle holders at 50cm spacings.

CONTROLS 3 outlet manual control valve with pressure regulator. Mounted forward for easy access.

TANK

Low profile, 400/600/800 litre polytuff impact resistant polyethylene construction, external sightline with floating ball and non-spill offset screw-down lid with single breather. 15 litre fresh water tank with closed lid and easy to handle on/off tap. 4 litre toolbox.

FRAME Fully galvanised steel, cat I & II linkage.

AGITATION Bypass agitation.

PRESSURE GAUGE 1 x glycerine filled gauge.

FILTRATION

Lid strainer, suction line strainer with stop valve fitted at side of tank to enable ease of filter maintenance, and nozzle cup strainers.

HOSE REEL

Fitted with rear-mounted hose reel, including 20m of 12mm I.D quality pressure hose and Silvan Triam 44 spray gun with convenient trigger action and spray pattern adjustment.

PTO DRIVESHAFT Quality Bondioli & Pavesi driveshaft with quick release pins and safety covers.



All Challenge Implements earthmoving buckets have been designed to meet the high strength and safety requirements of today's environment. There is a large variety of buckets available to cover a wide range of applications and to enable a more compatible loader/tractor combination, ensuring you get the most from your loader.



All buckets are constructed from high tensile steel (570mpa) which is laser cut for accuracy and press formed to ensure superior strength. Along with many other parts, the buckets are assembled in robotic welding machines to ensure that a consistent high quality weld criteria is maintained.

When attached to the standard level-lift Challenge front end loader, the bucket profile has been designed to ensure there is no rollback, a condition whereby material spills or falls over the rear of the bucket as it is filled. All Challenge Implements earthmoving buckets enable maximum fill with minimum effort, ensuring an efficient loading cycle.



- The lower back portion of the bucket has a double plate arrangement that forms an enclosed 'box' section running the full width of the bucket, giving the bucket exceptional torsional strength.
- Buckets have a high quality roll formed cutting edge for excellent durability as well as wear plates on the bottom face of the bucket.
- Heavy section pipe gives a clean smooth face to the top of the bucket.
- The buckets' laser cut ends have been pressed to give strength along the edge and sides of the bucket.
- The mounting lugs on the rear of the bucket have plates that distribute the load to the strengthened sections of the bucket, directly behind the 'box' section and to the formed edge towards the top of the bucket. This eliminates deformation in the back of the bucket during loading cycles.
- All earthmoving buckets can be fitted with ground-engaging teeth if required.

The Challenge Bull earthmoving blade is available in two widths and with a variety of configurations. All blades are formed from high grade steel and have a pressed mould board and are fitted with a replaceable bolt-on reversible cutting edge. Optional depth skids are also available.



- The standard Bull Blade has the attaching lugs welded directly to the rear of the blade ready to couple to the front end loader.
- When fitted with root rakes, the Bull Blade can be inverted through an adaptor on the rear of the blade. This will position the rake tines towards the ground, allowing ripping and removal of small tree and shrub roots from beneath the ground surface. Alternatively, when pushing up debris, the tines allow topsoil to be left behind.
- The Bull Blade can also be set up with a manual angle adjustment and a manual tilt adjustment. These are set through brackets supplied and attached to the back of the blade, allowing the operator to change from a standard configuration to either or both angle and tilt options. The Bull Blade can also be set up with a manual angle adjustment and a hydraulic tilt adjustment. The manual angle is set using the bracket supplied and attached to the back of the blade. Tilt is controlled through a hydraulic third service which the operator can control during use.

MARCH IN TO CHECK OUT OUR SPARE PARTS DEPARTMENT

TAMWORTH - 6765 5244



David Hartmann Peter Mackay Mick Johnston Josh White

GUNNEDAH - 6742 5777



Mark Kenny Jim Vincent Ken Mack Keith McPhie
ARMIDALE
67728124



**WE ARE BARE - CO
STOCKISTS WITH
A FULL RANGE
OF PARTS**



RIPPERS

Description

The robust Slivan rippers are built for the breaking up of hard ground, furrowing, tree plantings, eradication of rabbit burrows and more. Single tine rippers are often used in conjunction with Silvan pipe laying attachments.

Other Key Elements

Billet size:

- 100 x 25mm - 177R1 \$561.00
- 150 x 32mm - 177R2 \$781.00
- 150 x 50mm - 177R3 \$979.00

*Freight charges may apply.



Code: 177R1



SPRAY GUNS

TRIAM 44 SPRAYGUN

With a sturdy stainless steel/brass barrel, these Triam spray guns are ideal for most spraying applications. A polypropylene handgun construction helps reduce fatigue. Trigger controlled spray pattern, adjustable from a wide cone to a straight stream, hose swivel, and cone and fan nozzle standard.



Code: 410-11
\$168.99

JETLINE SPRAY GUN

- ◆ Comfortable on/off trigger grip action
- ◆ Maximum pressure 6900KPa/100psi
- ◆ Stainless steel lance
- ◆ Supplied complete with jets & hose fittings
- ◆ Fibreglass reinforced polypropylene body



Code: 410-19
\$118.80

FLASH SPRAYGUN

Ideal for almost any spray application. Features ceramic 2.5mm nozzle as standard with kit of spare nozzles built into gun, adjustable spray pattern from straight stream to conical mist, safety adjustment lever pin and 1/2" BSP hose swivel as standard.



Code: 411-21
\$129.01

TURBO 400 SPRAY GUN

Constructed from high chemical resistant plastic with stainless steel and brass components. Features include loaded adjustable spray lever with variable spray control from misting to spot spraying and trigger locking device.



Code: 411-22
\$149.01

*All prices include GST



HAY SPIKES AND SLEEVES

	PART NO	SIZE	INC GST
HAY SPIKES			
CONUS I	CH003005003	810mm	\$ 81.40
CONUS I	CH003005004	1100mm	\$ 92.40
CONUS II	CH003005005	980mm	\$155.10
CONUS II	CH003005014	1100mm	\$163.90
CONUS II	CH003005006	1250mm	\$168.30
SLEEVE			
Suit CONUS I	CH003005001	120mm	\$ 28.60
Suit CONUS II	CH003005002	120mm	\$ 34.10

Goodwin Kenny are the authorised dealer for John Shearer Ltd



See us for all your Points & Tips. Now available - John Shearer Reverse Chisel Points.

**WE HAVE GREAT WESTERN
TILLAGE DISCS AVAILABLE
TO SUIT ALL TYPES OF
PLOWS.**

**WE HAVE JOHN SHEARER,
CONNOR SHEA AND JARRETT
DISC PLOW SPARE PARTS
AND CAN SUPPLY
INTERNATIONAL SPARES
AS WELL.**



Don't forget that our Tamworth & Gunnedah stores are open Saturday mornings from 8am to 12pm

MONTHLY WINNERS

Congratulations to our New Holland Challenge Cap Winners:

AV & JM HANN— WOLLOMOMBI, JRC & WM GILL—COOLAH
WA & CE MORGAN—ATTUNGA



This month we have 3 Challenge Caps to give away - simply return your payment by Friday 26th March 2010 to go in the draw.

We would also remind customers that we accept Visa & MasterCard over the phone and Debit cards may be used at Tamworth and Gunnedah Branches, and all payments by these methods are included in the monthly prize draw.

For customers who use internet Banking, our bank account details are:

Commonwealth Bank BSB: 062 602 Account Number: 00 272 029

Please use your account number, name or invoice number as a reference.

JOKE OF THE MONTH

Bob the builder was going through a house he had just built with the woman who owned it. She was telling him what colour to paint each room.

They went into the first room and she said "I want this room to be painted a light blue."

The builder went to the front door and yelled "GREEN SIDE UP!"

When he went back into the house, she told him that the next room was to be bright red.

The builder went to the front door and yelled "GREEN SIDE UP!"

When he went back into the house, she told him that the next room was to be tan.

The builder went to the front door and yelled "GREEN SIDE UP!"

When he came back, the lady was pretty curious, so she asked him "I keep telling you colours, but you go out the front and yell green side up; what is that for?"

The builder said, "Oh don't worry about that, I've got a couple of Kiwis laying the turf out front."

CNH CAPITAL RETAIL FINANCE MADE EASY

When buying machinery New Holland understands that making the process easier is a key motivator in any customers purchasing decision.

CNH Capital understands finance rates, deposit amounts and repayment terms play a large part in our customers decision making process and where possible want to assist by making their purchase easy and financially viable.

ORDER BY 31.03.10 = SETTLEMENT BY 30.04.10

	36 MONTHS	48 MONTHS	60 MONTHS
MONTHLY	5.55%	6.65%	7.30%
ANNUAL	6.65%	7.35%	7.80%

> Minimum deposit— 30%, GST payment in month 4, No Balloons

ORDER BY 31.03.10 = SETTLEMENT 01/05/10– 30/06/10

	36 MONTHS	48 MONTHS	60 MONTHS
MONTHLY	5.95%	7.05%	7.75%
ANNUAL	7.10%	7.80%	8.30%

> Minimum deposit—30%, GST payment in month 4, No Balloons

Unlike other credit providers, CNH Capital is focused on the agricultural industry, working closely with the extensive New Holland Agriculture dealer network to create tailored solutions for individual farm needs, this has developed a strong understanding of rural cycles and the issues facing farmers.



\$750

THE FACTORY REBATE IS HERE!

New Holland have announced Factory Rebates on their range of tractors. Rebates range from \$750 on the TT75 tractor to \$4,500 on the T9000 Series.

\$4,500

Call in and look over the tractors in stock at Tamworth and Gunnedah and discuss your tractor requirements and ask about the Factory Rebate!

FACTORY REBATE FINISHES 31ST MARCH 2010

JUST A REMINDER:

Traffic conditions have changed in Bridge Street at our Tamworth Branch. Please be aware of the No Stopping Signs, as we still have customers parking in this zone. If there is no room to park, please pull off the road onto the concourse or into our driveway.

....Susan Goodwin

